L Number	Hits	Search Text	DB	Time stamp
12	50	stor\$3 near4 ((condition\$2 adj1 flag\$1) near4 (result\$1 or data))	USPAT;	2004/08/20 12:56
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB,	
			ЕРО; ЛРО;	
			IBM_TDB	
13	20	stor\$3 near4 ((condition\$2 adj1 flag\$1) near4 (result\$1))	USPĀT;	2004/08/20 12:57
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
14	1	memory near4 ((condition\$2 adj1 flag\$1) near4 (result\$1))	USPAT;	2004/08/20 13:05
		((US-PGPUB;	200 11 00.20 15.05
			EPO; JPO;	
			IBM_TDB	
15	0	(("same" or together) near4 memory) same ((condition\$2 adj1 flag\$1)	USPAT;	2004/08/20 13:06
	Ů	near4 (result\$1))	US-PGPUB;	2004/06/20 13:00
		near4 (resultur))	EPO; JPO;	ł
16	0	(("same" or together) near4 memory) with ((condition\$2 adj1 flag\$1)	IBM_TDB	2004/09/20 12:06
10		near4 (result\$1))	USPAT;	2004/08/20 13:06
		near4 (resultar))	US-PGPUB;	
			EPO; JPO;	
17	_	(IBM_TDB	
1	0	(memory near4 address) with ((condition\$2 adj1 flag\$1) near4	USPAT;	2004/08/20 13:07
		(result\$1))	US-PGPUB;	
			ЕРО; ЈРО;	
			IBM_TDB	
.8	14	memory same ((condition\$2 adj1 flag\$1) near4 (result\$1))	USPAT;	2004/08/20 13:07
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
9	345	(712/234).CCLS.	USPAT;	2004/08/20 13:22
			US-PGPUB;	
			ЕРО; ЛРО;	
		•	IBM_TDB	
20	236	(712/237).CCLS.	USPAT;	2004/08/20 13:22
			US-PGPUB;	
			ЕРО, ЛРО;	
			IBM TDB	
.1	361	(712/239).CCLS.	USPĀT;	2004/08/20 13:22
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
2	267	(712/233).CCLS.	USPAT;	2004/08/20 15:01
			US-PGPUB;	200 11 00120 15.01
			EPO; JPO;	
			IBM TDB	
3	24	(status adj1 bit\$1) near4 (result\$1) near4 stor\$3	USPAT;	2004/08/20 15:01
23	~ '	(US-PGPUB;	2004/06/20 13:01
			ЕРО; ЛРО;	
			IBM TDB	
	4	register near4 (data near4 status) near4 (jump or branch)	_	2004/00/10 16 14
	71	10810101 Hours (cam hears status) hears (lamb of pranch)	USPAT;	2004/08/19 16:14
			US-PGPUB;	
	İ		ЕРО; ЛРО;	
	176	(Gumm on bronch) moond addressed as and attack	IBM_TDB	
	176	((jump or branch) near4 address) near4 status	USPAT;	2003/10/17 16:45
			US-PGPUB;	
.			ЕРО; ЛРО;	
-			IBM_TDB	
	26	((jump or branch) near4 address) near4 (condition adj1 field)	USPAT;	2003/10/17 16:45
			US-PGPUB;	
			ЕРО; ЛРО;	
ſ			IBM TDB	

2003/10/17 16-31 2003/10/17 16-31 2003/10/17 16-31 2003/10/17 16-31 2003/10/17 16-31 2003/10/17 16-31 2003/10/17 16-35 2003/10/17 17-35 2003/10/17					
FPO, JPO, FPO, JPO, JPO, FPO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, J	-	0			2003/10/17 16:51
18M_TIDB 2003/10/17 16:45 18 2003/10/17 16:45 2003/10/17 16:			register		
47 (jump or branch) near4 address) near4 status near4 register USFAT; US-FGPUB, BPO, JPO, BPO, BPO, BPO, BPO, BPO, BPO, BPO, B				1	
S88 ((jump or branch) near4 address) near4 condition\$1 near4 register SPO, JPO, IBM, TDB SPAT, ISPAT,		47	//i		2002/10/17 16:45
BRO _ DRO	-	4/	((jump or branch) near4 address) near4 status near4 register		2003/10/17 16:43
BM TDB Condition adj1 flag\$1 near4 (result near4 data)		!			
S8		1			
Condition adj1 field\$1) near4 (result near4 data) USP-QFUB; EPO, IPO, IPO, IRM, TDB adj1 condition) USP-QFUB; EPO, IPO, IRM, TDB adj1 condition USP	i	90	(Common the control of the control o		2002/10/17 16 50
- 0 (jump or branch) adj1 register) near4 (branch adj1 data) near4 (branch adj1 data) near4 (branch adj1 data) near4 (branch or jump) adj1 data) - 0 ((jump or branch) adj1 register) near4 ((branch or jump) adj1 data) - 1 ((jump or branch) adj1 register) near4 (dbranch or jump) adj1 data) - 1 ((jump or branch) adj1 register) near4 data near4 condition - 1 ((jump or branch) adj1 register) - 201 ((jump or branch) adj1 register) - 21 ((jump or branch) adj1 register) - 3 ((jump or branch) adj1 register) - 3 ((jump or branch) adj1 register) - 421 ((jump or branch) adj1 register) - 421 ((jump or branch) adj1 register) - 7 ((jump or branch) adj1 register) - 7 ((jump or branch) adj1 register) - 8 (jump or branch) adj1 register) - 8 (jump or branch) adj1 register) - 9 ((jump or branch) adj1 register) - 1 ((jump or branch) adj1 register) - 1 (jump or branch) adj1 register) - 200 ((jump or branch) adj1 register) - 1 (jump or branch) adj1 register) - 200 ((jump or branch) adj1 register) - 2003/10/17 17:00 - 2003/10/17 17:00 - 2003/10/17 17:00 - 2003/10/17 17:00 - 2003/10/17 17:31 - 2003/10/17 17:31 - 2003/10/17 17:31 - 2003/10/17 17:32 -	j -	88	((Jump or branch) near4 address) near4 condition\$1 near4 register		2003/10/17 16:58
Condition adj1 flag\$1 near4 (result near4 data) RIM_TDB USPAT_US_ROPUB_EPO, PPO, IBM_TDB USPAT_US_ROPUB_EPO, IPO, IPO, IBM_TDB USPAT_US_ROPUB_EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I					
Condition adj1 register) near4 (branch adj1 data) near4 (branch adj1 condition)					
adj1 condition) adj1 condition) ((jump or branch) adj1 register) near4 ((branch or jump) adj1 data)			((ivers or branch) adil register) neard (branch adil data) neard (branch		2002/10/17 16:59
- 0 (jump or branch) adj1 register) near4 ((branch or jump) adj1 data)	-	0			2003/10/17 16:38
BM TDB USPAT; Condition adj1 register) near4 ((branch or jump) adj1 data) USPAT; USP-GPUB; EPO, IPO, IBM TDB USPAT; USP-GPUB; EPO, IPO, IBM TD	1		adji condition)		
0 ((jump or branch) adj1 register) near4 ((branch or jump) adj1 data) USPAT; USP-GPUB; EPO, IPO; IBM TDB USPAT; USP-GPUB; IBM TDB USPAT; USP-GPUB; IBM TDB USPAT; USP-GPUB; IPO, IPO; IBM TDB USPAT; USP-GPUB; IPO, IPO; IBM TDB USPAT; USP-GPUB; IPO; IPO					
			((iumn or brough) adil register) neard ((brough or iumn) adil data)		2002/10/17 16:50
PO, PO, BM TDB USPAT, US-POPUB, EPO, PO, PO, BM TD	_	0			2003/10/17 16:39
ISM_TDB			near4 ((branch of condition) adji condition)		
1 ((jump or branch) adj1 register) near4 data near4 condition					
US-PGPUB; EPO, IPO IBM TDB USPAT; US-PGPUB; EPO IPO IBM		1	((jumn or branch) adil register) near4 data near4 condition		2002/10/17 17:00
PEO, JPO; BM TDB USPAT; US-PGPUB; EPO, JPO; PO; PO; PO; PO; PO; PO; PO; PO; PO;	-]	(Quinp or oranion) adja register) near4 data near4 condition		2003/10/1 / 17:00
BM_TDB				1	
- 421 ((jump or branch) adj1 register) USPAT; US-PGPUB; EPO, IPO, IBM_TDB EPO, I					
- 7 ((jump or branch) adj1 register) near4 condition - 7 ((jump or branch) adj1 register) near4 condition - 8 20 (condition adj1 code) near4 (result near4 data) - 9 20 (condition adj1 flag) near4 (result near4 data) - 10 20 (condition adj1 flag) near4 (result near4 data) - 11 (condition adj1 flag) near4 (result near4 data) - 12 (status adj1 flag) near4 (result near4 data) - 13 (status adj1 flag) near4 (result near4 data) - 14 (condition adj1 field\$1) near4 (result near4 data) - 15 (condition adj1 field\$1) near4 (result near4 data) - 16 (condition adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data) - 19 (condition adj1 flag\$1) near4 (result near4 data) - 10 20 3/10/17 17:30 - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data) - 16 (condition adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data) - 19 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data)		421	((iump or branch) adil ragister)		2002/10/17 17:00
FPO, IPO, IBM_TDB	-	421	((Jump of orancif) adj (Tegister)		2003/10/17 17:00
-					
- 20 (condition adj 1 register) near4 condition					
US-PGPUB, EPO, IPO, IBM, TDB USPAT; US-PGPUB, IBM, TDB USPAT; US-PGPUB, IBM, TDB USPAT; US-PGPUB, IBM,	l _	7	((jump or branch) adil register) near a condition		2003/10/17 17:03
Condition adj1 code) near4 (result near4 data)		/ /	((Jump of oration) adj't register) hear4 condition		2003/10/17 17.03
- 20 (condition adj1 code) near4 (result near4 data) - 3 (condition adj1 flag) near4 (result near4 data) - 3 (condition adj1 flag) near4 (result near4 data) - 3 (status adj1 flag) near4 (result near4 data) - 3 (status adj1 flag) near4 (result near4 data) - 4 (condition adj1 field\$1) near4 (result near4 data) - 5 (condition adj1 field\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (condition adj1 flag\$1) near4 (result near4 data) - 9 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data) - 16 (condition adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data) - 19 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data)					
- 20 (condition adj 1 code) near4 (result near4 data) - 3 (condition adj 1 flag) near4 (result near4 data) - 3 (condition adj 1 flag) near4 (result near4 data) - 3 (status adj 1 flag) near4 (result near4 data) - 3 (status adj 1 flag) near4 (result near4 data) - 4 (condition adj 1 field\$1) near4 (result near4 data) - 5 (condition adj 1 field\$1) near4 (result near4 data) - 6 (status adj 1 flag\$1) near4 (result near4 data) - 6 (status adj 1 flag\$1) near4 (result near4 data) - 6 (status adj 1 flag\$1) near4 (result near4 data) - 7 (condition adj 1 flag\$1) near4 (result near4 data) - 8 (condition adj 1 flag\$1) near4 (result near4 data) - 9 (condition adj 1 flag\$1) near4 (result near4 data) - 10 (condition adj 1 flag\$1) near4 (result near4 data) - 2003/10/17 17:31 - 2003/10/17 17:31 - 2003/10/17 17:31 - 2003/10/17 17:31 - 2003/10/17 17:52 - 2003/10/17 17:52 - 3 (condition adj 1 flag\$1) near4 (result near4 data) - 4 (condition adj 1 flag\$1) near4 (result near4 data) - 5 (condition adj 1 flag\$1) near4 (result near4 data) - 6 (condition adj 1 flag\$1) near4 (result near4 data) - 7 (condition adj 1 flag\$1) near4 (result near4 data) - 8 (condition adj 1 flag\$1) near4 (result near4 data) - 9 (condition adj 1 flag\$1) near4 (result near4 data) - 0 (condition adj 1 flag\$1) near4 (result near4 data) - 1 (condition adj 1 flag\$1) near4 (result near4 data) - 2003/10/17 17:52 - 2003/10/17 17:53 - 2003/10/17 17:53			·		
US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	_	20	(condition adil code) near4 (result near4 data)		2003/10/17 17:31
Condition adj1 flag) near4 (result near4 data)		20	(condition adj r code) hear4 (result hear4 data)	1 '	2003/10/17 17.31
- 3 (condition adj1 flag) near4 (result near4 data) - 3 (status adj1 flag) near4 (result near4 data) - 3 (status adj1 flag) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
- 3 (condition adj1 flag) near4 (result near4 data) - 3 (status adj1 flag) near4 (result near4 data) - 3 (status adj1 flag) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 12 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (condition adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 1 (condition adj1 flag\$1) near4 (result near4 data) - 2003/10/17 17:34 - 2003/10/17 17:35 - 2003/10/17 17:30 - 2003/10/17 17:30 - 2003/10/17 17:30 - 2003/10/17 17:31 - 2003/10/17 17:31 - 2003/10/17 17:52 - 2003/10/17 17:52 - 2003/10/17 17:52 - 2003/10/17 17:52 - 2003/10/17 17:52 - 2003/10/17 17:52		l			
US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISM_TDB USPAT; US-PGPUB; EPO; J	_	3	(condition adil flag) near4 (result near4 data)		2003/10/17 17:34
EPO; IPO; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO			(containing) has has hear (contained hadd)	1 ′	2003/10/17 17.54
- 3 (status adj1 flag) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 13 (condition adj1 field\$1) near4 (result near4 data) - 14 (condition adj1 code\$1) near4 (result near4 data) - 15 (condition adj1 code\$1) near4 (result near4 data) - 16 (status adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data) - 19 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data) - 16 (condition adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data) - 18 (condition adj1 flag\$1) near4 (result near4 data)		i			
- 12 (status adj1 flag) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 12 (status adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (status adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 1 (status adj1 flag\$1) near4 (result near4 data) - 1 (status adj1 flag\$1) near4 (result near4 data) - 1 (status adj1 flag\$1) near4 (result near4 data)		·			
- 12 (status adj1 field\$1) near4 (result near4 data) - 12 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (condition adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (condition adj1 flag\$1) near4 (result near4 data) - 9 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data) - 16 (condition adj1 flag\$1) near4 (result near4 data) - 17 (condition adj1 flag\$1) near4 (result near4 data)	_	3	(status adil flag) near4 (result near4 data)		2003/10/17 17:35
- 12 (status adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (condition adj1 flag\$1) near4 (result near4 data) - 9 (condition adj1 flag\$1) near4 (result near4 data) - 1 (condition adj1 flag\$1) near4 (result near4 data) - 2 (condition adj1 flag\$1) near4 (result near4 data) - 3 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (condition adj1 flag\$1) near4 (result near4 data)			(**************************************	· ·	2003/10/17 17:55
- 12 (status adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (status adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 10 (status adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data) - 16 (status adj1 flag\$1) near4 (result near4 data)					
- 12 (status adj1 field\$1) near4 (result near4 data) - 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 37 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (status adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 10 (status adj1 flag\$1) near4 (result near4 data) - 11 (status adj1 flag\$1) near4 (result near4 data) - 12 (status adj1 flag\$1) near4 (result near4 data) - 13 (status adj1 flag\$1) near4 (result near4 data) - 14 (status adj1 flag\$1) near4 (result near4 data) - 15 (status adj1 flag\$1) near4 (result near4 data)					
- 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (condition adj1 flag\$1) near4 (result near4 data) - 1 (condition adj1 flag\$1) near4 (result near4 data) - 2 (condition adj1 flag\$1) near4 (result near4 data) - 3 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (condition adj1 flag\$1) near4 (result near4 data) - 6 (condition adj1 flag\$1) near4 (result near4 data)	-	12	(status adj1 field\$1) near4 (result near4 data)		2003/10/17 17:30
EPO, JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISPAT; US-PGPUB; ISPAT; US-P					
- 1 (condition adj1 field\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 9 (condition adj1 flag\$1) near4 (result near4 data) - 1 (condition adj1 flag\$1) near4 (result near4 data) - 2 (condition adj1 flag\$1) near4 (result near4 data) - 1 (condition adj1 flag\$1) near4 (result near4 data) - 2 (condition adj1 flag\$1) near4 (result near4 data) - 2 (condition adj1 flag\$1) near4 (result near4 data) - 3 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (condition adj1 flag\$1) near4 (result near4 data) - 6 (condition adj1 flag\$1) near4 (result near4 data)					
- 1 (condition adj1 field\$1) near4 (result near4 data) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISM_TDB USPAT; US-PGPUB; ISM_T					
- 37 (condition adj1 code\$1) near4 (result near4 data) - 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 5 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 10 (status adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data)	-	1	(condition adj1 field\$1) near4 (result near4 data)		2003/10/17 17:30
- 37 (condition adj1 code\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data)				US-PGPUB;	
- 37 (condition adj1 code\$1) near4 (result near4 data) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISPAT; US-PGPUB; EPO; JPO; ISPAT; US-PGPUB; EPO; JPO; ISPAT; US-PGPUB; EPO; JPO;					
- 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (condition adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (condition adj1 flag\$1) near4 (result near4 data) - 10 (condition adj1 flag\$1) near4 (result near4 data) - 11 (condition adj1 flag\$1) near4 (result near4 data) - 12 (condition adj1 flag\$1) near4 (result near4 data) - 13 (condition adj1 flag\$1) near4 (result near4 data) - 14 (condition adj1 flag\$1) near4 (result near4 data) - 15 (condition adj1 flag\$1) near4 (result near4 data)					
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISPO; I	-	37	(condition adj1 code\$1) near4 (result near4 data)		2003/10/17 17:31
- 4 (condition adj1 flag\$1) near4 (result near4 data) - 4 (condition adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 6 (status adj1 flag\$1) near4 (result near4 data) - 7 (status adj1 flag\$1) near4 (result near4 data) - 8 (status adj1 flag\$1) near4 (result near4 data) - 9 (status adj1 flag\$1) near4 (result near4 data) - 10 (status adj1 flag\$1) near4 (result near4 data) - 11 (status adj1 flag\$1) near4 (result near4 data)					
- 4 (condition adj1 flag\$1) near4 (result near4 data) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;		-			
- 6 (status adj 1 flag\$1) near4 (result near4 data) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; EPO; JPO;					
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; EPO; JPO;	-	4	(condition adj1 flag\$1) near4 (result near4 data)		2003/10/17 17:52
- 6 (status adj1 flag\$1) near4 (result near4 data) IBM_TDB USPAT; US-PGPUB; EPO, JPO; EPO, JPO;					
- 6 (status adj1 flag\$1) near4 (result near4 data) USPAT; US-PGPUB; EPO, JPO;					
US-PGPUB; EPO; JPO;					
ЕРО, ЛРО;	-	6	(status adj1 flag\$1) near4 (result near4 data)		2003/10/17 17:53
IBM_TDB					
			V 1 N	LIBM_TDB	<u> </u>

-	2	(condition adj1 bit\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:52
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	10	(status adj1 bit\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:53
			US-PGPUB;	
			ЕРО; ЈРО;	
			IBM_TDB	
-	5	(("4788655") or ("3573854") or ("5193157") or ("6324641") or	USPAT;	2003/10/20 07:52
		("4967351")).PN.	US-PGPUB;	
		,	ЕРО; ЛРО;	
			IBM_TDB	
-	41	(jump near4 compare) near4 instruction\$1	USPAT;	2004/08/19 16:14
			US-PGPUB;	
			ЕРО; ЈРО;	
			IBM_TDB	
-	6	("5502826" "5539888" "6175370" "6324643" "6330657" "6338136").PN.	USPAT	2004/08/19 16:19